

Configuring Windows 95/98 Operating System

Before you begin, please make sure that:

- Windows 95/98 is installed.
- Your modem has been installed using the Add New Hardware wizard.
- Your modem is on, and connected to a phone line.

You will also need the following account details, supplied to you by FunnelWeb Internet:


- Your UserName.
- Your Password.

Please Note:


FunnelWeb Internet's Support Team cannot offer support for general Windows 95/98 problems, modem hardware problems or TCP/IP software other than your browser and email software. We can only assist you with connectivity of Windows 95/98 to our system. If you have a problem with your general Windows 95/98 or modem configuration, you should contact the vendor directly.


If you do not have a copy of your Windows 95/98 CD or Disks, you may be unable to complete your setup. FunnelWeb Internet is unable to offer any technical support with your setup if you do not have these available to you.

Let's start...



1. Verify that Dial-up Networking is installed.



Click on the "My Computer"  icon on your desktop. Then click on the "Control Panel"


 folder. Double-click on the "Add/Remove Programs" icon. Select the "Windows Setup" tab, then click "Communications" and click "Details".

Make sure that the Dial-up Networking option is selected. If it is, go on to Step 2.

If it isn't, tick it and click "OK". Windows 95/98 will attempt to install the required components from your Windows 95/98 CD. At this stage you may be asked to restart your computer. If so, ensure you do this before progressing to Step 2.

2. Verify that the Dialup Adaptor and TCP/IP protocols are installed:

Go back to your Control Panel  folder. Double click the "Network"  icon.



Check to see if the Dial-up Adaptor and TCP/IP protocol are present.

If they are not, select "Add", double click "Adaptor" and scroll down the list until you can select "Microsoft". Choose the "Dial-up Adaptor" and click "OK".

If you need to install TCP/IP, click the "Add" button, double click "Protocol", select "Microsoft", "TCP/IP" and then hit "OK".


Your Network dialog box should now contain both the Dialup Adaptor and the TCP/IP.

Select the "Dialup Adaptor", click "Properties" then "Bindings" and make sure the "TCP/IP" box is checked.

Please note that other networking components may be installed on your machine and will therefore appear in the list. TCP/IP is the only network protocol necessary to connect to the Internet. If your machine is a stand-alone machine, and not connected to a Local Area Network (LAN), please remove NetBEUI and IPX/SPX compatible protocols if they are present.

Click the "OK" button here and in the "Network" screen. At this stage you may be asked to restart your PC. Click on "No" for now, as you will need to restart your PC later on in the setup process anyway.

3. Set up the Connection Icon:



Close Control Panel and you should be back at My Computer. Click the "Dial-up Networking" folder.




Double click the "Make New Connection" icon. If you have not connected to the Internet previously, you may be led through a wizard which will help you to install a modem if you have not already done so.

Type in FunnelWeb Internet.


Your modem, if it has been installed, will appear in the Select a Modem Area.

Click the "Configure" button and click on the "Options" tab.



Make sure you uncheck the “Bring Up Terminal Window After Dialing” and “Bring up Terminal Window Before Dialing” check boxes.

Now, click the “General” tab at the top of the box. Set your modem speed above its maximum speed to 115200. **DO NOT** click “Only connect at this speed”.




Leave the area code blank and set the dial-in number to 0198 333 898. In the Country Code, scroll down and select Australia (61).

Click the “Next” button and then Click “Finish”. Your icon will be created and placed in your Dial-up Networking folder.

4 Check the Dial-Up Properties:

Right click on the newly created icon and choose “Properties”.



Remove the tick from the box “Use Country Code” and “Area Code”, if you are calling within the (02) Canberra area. Click the “Server Types” tab.

In the “Type of Dialup Server” select from the pull-down menu the option beginning with PPP.

Make sure “Enable Software Compression and TCP/IP” are checked. Uncheck “NetBEUI and IPX/SPX” compatible.

When you are done click “Ok”.

Now all you have to do in the future to connect to the Internet, is to double click on the FunnelWeb Internet icon in your Dialup Networking folder, and once connected start your browser!

If you have any difficulties, please contact FunnelWeb Internet on 1300 360 024 or email support@fwi.net.au.

